

# **GENERAL NOTES**

THE CERTIFICATION OF THE SWIMMING POOLS COVERED BY THIS DRAWING REQUIRE:

- 1: INSTALLATION IN ACCORDANCE WITH THE INSTRUCTIONS LAID OUT WITHIN THIS DRAWING, PEML5062.01, REDACTED DRAWINGS NO. 04225/MOR, AS/NZS 1839:1994, THE BRITISH COLUMBIA BUILDING CODE, LOCAL BUILDING CODES, THE CODES ORREQUIRMENTS OF ALL OTHER AUTHORITIES HAVING JURISDICTION, AND WELL ESTABLISHED STANDARDS OF WORKMANSHIP
- 2, CLEAN DRY SAND WITH A MOISTURE CONTENT OF NO MORE THAN 10% TO BE USED AS BACKFILL,
- 3, THAT THE POOL NOT BE DRAINED WITHOUT PROPER PRECAUTIONS BEING TAKEN TO PREVENT DISPLACEMENT OF THE WALLN

## GRP SHELL MANUFACTURE

- A. THE FIBREGLASS SHELL SHALL BE MANUFACTURED IN ACCORDANCE WITH AS 1838 (PREMOULDED FIBRE REINFORCED PLASTIC SWIMMING POOLS)
- B. MATERIALS:
- (a). RESINS SHALL BE TYPE B POLYESTER (U.N.O.)
- (b), REINFORCEMENT SHALL BE CLASS 'E' GLASS FIBRE, MIN. GLASS CONTENT OF TOTAL SHELL THICKNESS - 30% BY WEIGHT
- C. SHELL SHALL BE SPRAY MOULDED WITH:
- (a). 0.02' GEL COAT (NPG)
- (b), 0.05 0.06' BARRIER COAT (VINYL ESTER)
- (c), STRUCTURAL LAYER WHICH WILL GIVE TOTAL BARRIER/STRUCTURAL THICKNESS NOMINATED ON DRAWING
- (d), 0.008' FLO COAT
- D. ALL LAYERS SHALL BE ROLLED OUT TO COMPLETELY BOND REINFORCING & RESINS & EXPEL AIR E, STRUCTURAL LAMINATE SHALL HAVE:
- (a). FLEXURAL STRENGTH OF 11000psi
- (b). TENSILE STRENGTH OF 6100 psi
- (c) MODULUS ELASTICITY OF 632000 psi

#### FOUNDATIONS


- A. POOL HAS BEEN DESIGNED FOR FULLY-IN-GROUND INSTALLATION, IF COPING IS GREATER THAN 6" ABOVE SURROUNDING GROUND REFER TO 'OUT OF GROUND CONSTRUCTION DETAIL', INSTALL SUBDRAINS AS REQ'D. IN BATTERS ABOVE POOL TO RELIEVE HYDROSTATIC PRESSURE.
- B. THE POOL IS SUITABLE FOR INSTALLATION IN ROCK, SAND, GRAVEL & STIFF CLAY, WHERE POOL IS TO BE INSTALLED IN VERY SOFT CLAY, SILTY CLAY OR SILTS, ENGINEERING ADVICE SHALL BE OBTAINED TO CATER FOR LATERAL PRESSURE.
- C. ALL TOPSOIL & ORGANIC MATTER UNDER POOL FLOOR IS TO BE REMOVED: THE DESIGN REQUIRES. THAT THE FOUNDATION MATERIAL IS TO BE UNIFORM SOUND NATURAL GROUND WITH A MINIMUM BEARING CAPACITY OF 5100 000 psi.
- D. FOR INSTALLATION OF POOL IN EXPANSIVE SOIL, REFER 'EXPANSIVE CLAY PROVISIONS PLAN' DETAIL


### INSTALLATION

- A THE POOL SHALL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF AS 1839 & THIS SPECIFICATION.
- B. WALLS SHALL BE BACKFILLED WITH 10:1 SAND:CEMENT MIX PLACED AT A RATE TO MATCH POOL FILLING & DAMPENED AFTER COMPLETION.
- C. CONCRETE TO CONCOURSE SHALL BE 200 psi MIN. WITH 25/32" AGGREGATE & 3 1/4 ± 9/16" SLUMP - TYPE A CEMENT, COMPACT CONCRETE THOROUGHLY AROUND SKIMMER & UNDER COPING
- D. REINFORCING STEEL::
- 1/2" DEFORMED BAR TO AS 1838
- RF62 WELDED WIRE FABRIC TO AS 1304
- E. TOLERANCES SHALL BE IN ACCORDANCE WITH AS 1838
- F. PLUMBING SHALL BE Ø 1 1/2" PRESSURE LINES & 2' SUCTION LINES CLASS 9 PIPE & CLASS 18 FITTINGS PRIME ALL JOINTS BEFORE APPLYING SOLVENTS

### **OPERATION**

A. THE POOL SHELL MAY BE DAMAGED IF THE POOL WATER IS DROPPED BELOW NORMAL OPERATING LEVEL. CONSULT THE INSTALLATION CONTRACTOR PRIOR TO EMPTYING THE POOL.







E-MAIL: SEL-SELENGCOM



NEW POOL AT:

2002 85TH STREET, 080Y009, BC.

GENERAL NOTES, FLAN AND DETAILS FIBREGLASS SWIMMING POOL)

DESIGNED BY: CMC CMC SHS C24---@1242@24 BCALE: AS SHOWN