

LIPSETT RENOVATION

RESIDENTIAL VARIANCE PERMIT DRAWINGS REGARDING: 128 KENT PLACE, OKANAGAN FALLS, BRITISH COLUMBIA

GONTAGTE & DRAWING INDEX

ANGUITATITUDAL DRAWINGS - Brown 1 D

GARTNER'S CUSTOM HOUSE DESIGNS

CONTACT: CASEY GARTNER
ADDRESS: 168 - 1458 PENTICTON AVE
PENTICTON BC, V2A BL3
TEL: (250) 487-8278
EMAIL: GARTNERSDESIGN@GMAIL.COM

COURT PAGE & ORAWING INDEX
LIGHT
SITE PLAN & SITE INFORMATION
LOID
EXISTING FLOOR PLANS
PROPOSED LOWER FLOOR PLAN
LOID
PROPOSEO LOWER FLOOR PLAN
NORTH & EAST ELEVATIONS
SOUTH & WEST ELEVATIONS



THIS PLAN AND DESIGN IS AND AT ALL TIMES REMAINS THE EXCLUSIVE PROPERTY OF ARTHERS CUSTOM HOUSE OSSIGNS (ICHO) AND MAY NOT SE USED OR OUPLICATED WITHOUT THE CONDS WATTERN COMBENT, GOND BINALL SE INFORMED OF ANY VARIATIONS FROM INFORMATION SHOWN ON THIS ORATING.

CONTRACTORS ARE RESPONSIBLE FOR THE VERFICATION OF ALL DIMENSIBLES AND SITE CONCITIONS PRIOR TO ANY CONSTRUCTION OR FARRICATION. ANY DISCREPANCIES ARE TO BE REDUCHT TO THE IMMEDIATE ATTENTION OF TH DEVELOPER

ORANINGS.
FECORACK IS IMPORTANT, THERE MAY BE ADDITIONAL INFORMATION NEEDED OR THERE MIGHT BE A BETTER WAY TO SULLO. DOWN OULD LIKE TO HEAR ABOUT IT.

LET US KNOW IF THESE ORANINGS CAN SE MAD BETTER FOR YOU.

DATE	DECEMBER 08, 202
JOS NO.	211001

PROJECT TITL

LIPSETT RENOVATION

SHEET NUMB

A001

DRAWING 1

COVER PAGE &
DRAWING INDEX

PROJECT / ZONING DATA

PROJECT ADDRESS:
LEGAL DESCRIPTION:
ZONING:
SITE AREA:
FOOTPRINTS:
OWELLING: 128 KENT PLACE, OKANABAN FALLS, 8C LOT 44, PLAN KAP12472, DL461 SIMILKAMEEN DIV OF YALE RS2 (LOW DENSITY RESIDENTIAL TWO) 17,912 SQFT


2,569 - SQFT

NOTES***

NOTES***
BUILDER IS TO CONFIRM BUILDING LOCATIONS WITH OWNER PRIDE TO CONSTRUCTION & CONFIRM EXISTING CONDITIONS
ROOF DRAINAGE SYSTEM SPLASH PADS REQUIRED FOR ROOF RAIN WATER LEADERS AS PER GEOTECH.
NO VENTED SOFFITING AN ANY OVERHANG THAT IS WITHIN 1.2M OF PROPERTY LINE

RDGS BYLAW REQUIREMENTS FOR PRINCIPAL DWELLINGS IN RES: PROJECT SYLAW SUMMARYS

SETBACKS:		SETBACKS:	
FRONT YARD:	7.5 M	FRONT YARD:	3.82 M (VARIANCE)
REAR YARD:	7.5 M	REAR YARD:	13.69 M
INTERIOR SIDE YARD:	1.5 M	INTERIOR SIDE YARD:	1.78 M
EXTERIOR SIDE YARD!	45 M	EXTERIOR SIDE YARD:	N/A
MAXIMUM HEIGHT:	1 O.O M	HEIGHT:	6.75 M (EXISTING)
MINIMUM BUILDING WIDTH:	5.0 M	BUILDING WIDTH:	18.9 M
MAXIMUM LOT COVERAGE:	45%	LOT COVERAGE:	238.67 M ² (29.42







NO. DATE REVISION

1	12/08/2021	Issue for Variance
_		

DATE	DECEMBER 08, 202
JOS NO.	211001
SCALE	AS INDICATED

PROJECT TITLE

LIPSETT RENOVATION

SITE PLAN & SITE INFORMATION

FLOOR PLAN NOTES


- 1. ALL WINDOW AND DOOR ROUGH OPENING SIZES TO BE SHOWN IN INCHES (30XBO) FIRST DIMENSION BEING WIOTH, SECOND DIMENSION BEING MICIOHT.


 2. TOP OF WINDOWS ARE ASSUMED TO BE $6^{1}8^{5}$ ABOVE SUBFLOOR EXCEPT WHERE INDICATED ON ELEVATIONS.

 3. IF ANY ELEMENTS SHOWN ON THESE PLANS CONFLICT WITH STRUCTURAL NOTES OR SPECIFICATIONS, STRUCTURAL
- TAKES PRECEDENCE.

 4. ALL SMOKE ALARMS AND GD DETECTORS TO BE HARD WIRED & INTERCONNECTED.

 5. ROOF TRUSSES ABOVE ARE TO PROVIDE FLAT CEILINGS UNLESS OTHERWISE NOTED UNDER ROOM TAG.









Ш

R

(J)

1

ONE OF GCHO'S GOALS IS TO IMPROVE THESE ORANINGS.
FECORACE IS IMPORTANT, THESE MAY SEFECORACE INFORMATION MECOSO OR THESE MIGHT SEE A SETTER WAY TO SUILD. GCHO WOULD LIKE TO HARR ASSULT MEAN TO SUILD. GCHO WOULD LIKE TO HARR ASSULT MEAN SE MADE SETTER FOR TOUL.

Na.	DATE	REVISION
1	12/08/2021	Issue for Variance
=		
_		
DATE	'	DECEMBER 08, 2021
108	NO.	211001
	_	

PROJECT TITLE

LIPSETT RENOVATION

Ш

R

A20


DRAWING TITLE

EXISTING FLOOR PLANS

FLOOR PLAN NOTES

- 1. ALL WINDOW AND DOOR ROUGH OPENING SIZES TO BE SHOWN IN INCHES (30XBO) FIRST DIMENSION BEING WIDTH,
- 2. TOP OF WINDOWS ARE ABBUMED TO SE 6'-8' ABOVE SUBFLOOR EXCEPT WHERE INDICATED ON ELEVATIONS.

 3. IF ANY ELEMENTS SHOWN ON THESE PLANS CONFLICT WITH STRUCTURAL NOTES OR SPECIFICATIONS, STRUCTURAL
- 4. ALL SMOKE ALARMS AND CO DETECTORS TO BE HARD WIRED & INTERCONNECTED. 5. ROOF TRUSSES ABOVE ARE TO PROVIDE FLAT CEILINGS UNLESS OTHERWISE NOTED UNDER ROOM TAG.







ONE OF OCHO'S GOALS IS TO IMPROVE THESE DRAWNINGS. IS IMPORTANT, THESE MAY BE FECURACE, IS IMPORTANTO, MESCLO OR THESE MICH SE A SETTER WAY TO SUILD. GCHO WOULD LIKE TO MEAR ABOUT LIFT US KHOW IF THESE DRAWNINGS CAN SE MADE SETTER FOR TOUL.

ND.	DATE	REVISION
1	12/08/2021	Issue for Variance
_		
_		
_		
DATI		DECEMBER OB, 2021
JDB	ND.	211001
SCA	LE	AS INDICATED

AS INDICATED

PROJECT TITLE

LIPSETT RENOVATION

A303


DRAWING TITLE

PROPOSED UPPER FLOOR PLAN

FLOOR PLAN NOTES

- 1. ALL WINDOW AND DOOR ROUGH OPENING SIZES TO BE SHOWN IN INCHES (30X80) FIRST DIMENSION BEING WIDTH,
- 2. TOP OF WINDOWS ARE ABBUMED TO BE 6¹-8³ ABOVE SUBFLOOR EXCEPT WHERE INDICATED ON ELEVATIONS.

 3. IF ANY ELEMENTS SHOWN ON THESE PLANS CONFLICT WITH STRUCTURAL NOTES OR SPECIFICATIONS, STRUCTURAL



1/4" = 11-0"





ONE OF GENO'S GOALS IS TO IMPROVE THESE ORANINGS.

PECODACE, IN PROTECTIVE THESE MAY BE SECOND THESE MAY BE SECOND OF THESE MAY TO SUILO. GENO MOUTH SEA SECTION WAY TO SUILO. GENO MOUTH SEA SECTION FOR THESE ORANINGS CAN SE MADE SECTION FOR YOU.

140	DATE	KEYISIUN
1	12/08/2021	Issue for Variance
_		
_		
_		
DAT	Ε	DECEMBER 08, 2021
JOB	NO.	211001
SCA	LE	As IMPIGATED


PROJECT TITLE

LIPSETT RENOVATION

A302

DRAWING TITLE

PROPOSED LOWER FLOOR PLAN







ONE OF OCHO'S GOALS IS TO IMPROVE THESE ORATINES.

PROPRIES SUPPORTANT, THESE MAY SE TECHNOLOGY IMPORTANTO MEEGED OF THESE MIGHT SE A SETTER WAY TO BUILD, DICHO WOULD, LIKE TO HARA REGIST OF THESE TO HARA SEGUED IT.

LET US KNOW IF THESE ORAWINGS CAN SE MADE SETTER FOR TOU.

No.	DATE	REVISION
1	12/08/2021	Issue for Variance
DATE		DECEMBER 08, 2021
JOB	20	211001

LIPSETT RENOVATION

A304


DRAWING TITLE


ROOF PLAN

 $1 \frac{ROOF}{1/4^{4} = 1^{4}-0^{4}}$

ELEVATION & EXTERIOR NOTES

- 1. ALL WINDOWS & DOORS SHALL CONFORM TO BOBG 9.7.
 2. TOP OF WINDOWS ARE ASSUMED TO BE 6¹·8⁵ ABOVE SUBFLOOR EXCEPT WHERE INDICATED.
 3. RESISTANCE TO FORDED ENTRY REQUIRED FOR WINDOWS WITHIN 2.DM OF FINISHED GRADE
 4. FLASHING REQUIRED ABOVE & SECUND ALL UNPROTOCTED OPENINGS & HORIZONTAL TRANSITIONS
 5. NO SOFFIT MAY BE VENTED WITHIN 1.ZM OF INTERIOR SIDE LOT LINES
- NO SOFFIT MAY BE VENTED WITHIN 1.6M OF INTERIOR SIDE LOT LINES
 STRUCTURAL WODD ELEMENTS WITHIN 1.6 of OF FINISHED GRADE MUST BE PRESSURE TREATED
 CONCRETE SHALL NOT BE PLACED AGAINST WODD FRAMING
 ALL GRADES TO SLOPE AWAY FROM PROJECT







DIME OF OCHO'S GOALS IS TO IMPROVE THESE ORANINGS.
FECOACCI, IS IMPORTANT, THERE MAY SE, FECOACCI, IS IMPORTANT, THERE MAY SE, FECOACCI, INDICATOR OF THESE MIGHT SEA SETTER THAT TO SUILO. GCHO WOULO, LIKE TO MARS ASSULT, LET US KNOW, IF THESE ORANINGS CAN SE MAGE SETTER TOR TOU.

NO.	DATE	REVISION
1	12/08/2021	Issue for Variance
_		
DATE		DECEMBER 08, 2021
100	ND.	211001
SCAL	r	1/4" = 1'-0"

PROJECT TITLE

LIPSETT RENOVATION

SHEET NUMBER


A401


DRAWING TITLE

NORTH & EAST ELEVATIONS

ELEVATION & EXTERIOR NOTES

- 1. ALL WINDOWS & DOORS SHALL CONFORM TO BOBD 9.7.
 2. TOP OF WINDOWS ARE ABBUMED TO BE 6'-B' ABOVE SUBFLOOR EXCEPT WHERE INDICATED.
 3. RESISTANCE TO FORCED ENTRY REQUIRED FOR WINDOWS WITHIN 2.0M OF FINISHED DRADE
 4. FLASHING REQUIRED ABOVE & BELOW ALL UNPROTECTED OPENINGS & HORIZONTAL TRANSITIONS
 5. NO SOFFIT MAY BE VENTED WITHIN 1.2M OF INTERIOR SIDE LOT LINES
 6. STRUCTURAL WIDOD ELEMENTS WITHIN 1'-6' OF FINISHED GRADE MUST BE PRESSURE TREATED
 7. CONCASTE SHALL NOT BE PLACED AGAINST WOOD FRAMING
 8. ALL GRADES TO SLOPE AWAY FROM PROJECT







No. DATE

1	12/08/2021	Issue for Variance
1	-	
+		
-+		
\dashv		
+		
ATE		DECEMBER 08, 2021
08 N	IQ.	211001
CAL	E	1/4" = 1'-0"

LIPSETT RENOVATION

SHEET NUMBER

A402

DRAWING TITLE

SOUTH & WEST ELEVATIONS



REVISION NO. DATE

DECEMBER 08, 2021
DECEMBER DB, 2021

PROJECT TITLE

LIPSETT RENOVATION

A501

SECTIONS